

V. *A Catalogue of the Fifty Plants, from Chelsea Garden, presented to the Royal Society, by the Worshipful Company of Apothecaries for the Year 1771, pursuant to the Direction of the late Sir Hans Sloane, Bart. M. D. Soc. Reg. nuper Præses: By Stanefby Alchorne, Member of the said Society of Apothecaries in London.*

Read Nov. 26, 2451  
1772.

- A** C E R, *Pseudo - Platanus*,  
foliis quinque lobis in-  
æqualiter serratis, floribus racemosis. Lin.  
Spec. plant. 1495. 2.  
Acer montanum candidum. Bauh. pin. 430.  
2452 *Æsculus, Hippo-Castanum*, floribus heptandris.  
Lin. Spec. plant. 488. 1.  
Castanea folio multifido. Bauh. pin. 419.  
2453 *Andromeda, Polifolia*, pedunculis aggregatis,  
corollis ovatis, foliis alternis lanceolatis re-  
volutis. Lin. Spec. plant. 564. 5.  
Erica humilis rosmarini foliis, unedonis flore,  
capsula cistoide. Pluck. alm. tab. 175. fig. 3.  
2454 *Aquilegia, vulgaris*, nectariis incurvis. Lin.  
Spec. plant. 752. 1. α.

Aquilegia

- Aquilegia sylvestris. Bauh. pin. 144.
- 2455 Arbutus, *Andrachne*, caule arboreo, foliis glabris integerrimis, baccis polyspermis. Lin. Spec. plant. 566. 2.  
Arbutus folio non serrato. Bauh. pin. 460.
- 2456 Artemisia, *Dracunculus*, foliis lanceolatis glabris integerrimis. Lin. Sp. plant. 1189. 19.  
*Dracunculus hortensis*. Bauh. pin. 98.
- 2457 Artemisia, *vulgaris*, foliis pinnatifidis planis incis; subtus tomentosis; racemis simplicibus, floribus ovatis, radio quinquefloro. Lin. Spec. plant. 1189. 16.  
Artemisia vulgaris major. Bauh. pin. 137.
- 2458 Betula, *nana*, foliis orbiculatis crenatis. Lin. Spec. plant. 1394. 4. Flor. Lap. tab. 6. fig. 4.  
Betula pumila. Laef. Pruff. 10.
- 2459 Caltha, *palustris*. Lin. Spec. plant. 784.  
1.  $\alpha$ .  
Caltha palustris flore simplici. Bauh. pin. 276.
- 2460 Capsicum, *annuum*, caule herbaceo, pedunculis solitariis. Lin. Spec. plant. 270. 1.  
Piper Indicum vulgatissimum. Bauh. pin. 102.
- 2461 Capsicum, *frutescens*, caule fruticoso, pedunculis geminis. Lin. Spec. plant. 271.  
2.  $\beta$ .  
Capsicum minus, fructu parvo pyramidaliter erecto. Sloan. Hist. I. 240. tab. 146. fig. 2.
- 2462 Centaurea, *benedicta*, calycibus duplicato-spinosis lanatis involucratis, foliis semidecurrentibus

- rentibus denticulato-spinosis. Lin. Spec. plant. 1296. 42.
- Carduus sylvestris hirsutus, f. Carduus benedictus. Bauh. pin. 378.
- 2463 Cupressus, *sempervirens*, foliis imbricatis, frondibus quadrangulis. Lin. Spec. plant. 1422. 1. α.
- Cupressus. Bauh. pin. 488.
- 2464 Daphne, *Laureola*, racemis axillaribus, foliis lanceolatis glabris. Lin. Spec. plant. 510. 6.
- Laureola sempervirens flore viridi, quibusdam Laureola mas. Bauh. pin. 662.
- 2465 Daphne, *Mezereum*, floribus sessilibus ternis caulinis, foliis lanceolatis deciduis. Lin. Spec. plant. 509. 1.
- Laureola folio deciduo, flore purpureo, officinis Laureola foemina. Bauh. pin. 462.
- 2466 Dirca, *palustris*. Lin. Spec. plant. 512. 1.
- Thymelæa floribus albis primo vere erumpentibus, foliis oblongis acuminatis, viminibus & cortice valde tenacibus. Geor. Virg. 155.
- 2467 Erica, *daboecii*, racemo terminali, foliis alternis subtus tomentosis. Lin. Spec. plant. 509. 38.
- Erica Hibernica, foliis myrti pilosis subtus in canis. Pet. gaz. 42. tab. 27. fig. 4.
- 2468 Fragaria, *sterilis*, caule decumbente repente. Lin. Spec. plant. 709. 3.
- Fragaria sterilis. Bauh. pin. 327.
- 2469 Gardenia, *Florida*. Lin. Spec. plant. 305. 1.

- Jasminum, foliis lanceolatis oppositis integerrimis, calycibus acutioribus. Miller's Icons, tab. 180.
- 2470 Genista, *Anglica*, spinis simplicibus, ramis floriferis inermibus, foliis lanceolatis. Lin. Spec. plant. 999. 11.  
Genista minor aspaltoides. Bauh. pin. 395.
- 2471 Heuchera, *Americana*. Lin. Spec. plant. 328. 1.  
Sanicula, f. Cortufa Americana spicata, floribus squalide purpureis. Pluk. alm. tab. 58. fig. 3.
- 2472 Hyssopus, *officinalis*, spicis fœcundis. Lin. Spec. plant. 796. 1. α.  
Hyssopus officinarum cærulea, f. spicata. Bauh. pin. 217.
- 2473 Jasminum, *officinale*, foliis oppositis pinnatis. Lin. Spec. plant. 9. 1.  
Jasminum vulgatus flore albo. Bauh. pin. 397.
- 2474 Knautia, *orientalis*. Lin. Spec. plant. 146.  
Scabiosa orientalis, caryophylli flore. Vaill. act. 1772. p. 241.
- 2475 Ligusticum, *Levisticum*, foliis multiplicibus, foliolis superne incis. Lin. Spec. plant. 359. 1.  
Ligusticum vulgare. Bauh. pin. 157.
- 2476 Medicago, *lupulina*, spicis ovalibus, leguminibus reniformibus monospermis, caule procumbente. Lin. Spec. plant. 1097. 7.  
Trifolium pratense luteum capitulo brevior. Bauh. pin. 228.

- 2477 *Mercurialis*, *annua*, caule brachiato, foliis glabris, floribus spicatis. Lin. Spec. plant. 1465. 3.  
*Mercurialis testiculata*, f. mas. & } Bauh. pin.  
*Mercurialis spicata*, f. fœmina. } 121.
- 2478 *Mercurialis*, *perennis*, caule simplicissimo foliis scabris. Lin. Spec. plant. 1465. 1.  
*Mercurialis montana testiculata*, & } Bauh. pin.  
*Mercurialis montana spicata*. } 122.
- 2479 *Petiveria*, *alliacea*, floribus hexandris. Lin. Spec. plant. 486. 1.  
*Verbenæ* aut *Scorodonæ* affinis anomala, flore albedo, calyce aspero, allii odore. Sloan. Hist. I. 172.
- 2480 *Pæonia*, *fœmina*, foliolis oblongis. Lin. Sp. plant. 747. 1. α.  
*Pæonia communis*, f. fœmina. Bauh. pin. 323.
- 3481 *Pteris*, *aquilina*, frondibus supradecompositis, foliolis pinnatis : pinnis lanceolatis : infimis pinnatifidis, superioribus minoribus. Lin. Spec. plant. 1533.  
*Filix ramosa major*, pinnulis obtusis non dentata. Bauh. pin. 357.
- 2482 *Quercus*, *Ilex*, foliis ovato-oblongis indivisis ferratisque, petiolatis, subtus incanis, cortice integro. Lin. Spec. plant. 1412. 3. β.  
*Ilex folio angusto non ferrato*. Bauh. pin. 424.
- 2483 *Quercus*, *Suber*, foliis ovato-oblongis indivisis ferratis subtus tomentosis, cortice ramoso fungoso. Lin. Spec. plant. 1413. 5.  
*Suber latifolium sempervirens*. Bauh. pin. 424.  
2484 Ra-

- 2484 *Ranunculus, Auricomus*, foliis radicalibus reniformibus crenatis incisfis, caulinis digitatis linearibus, caule multifloro. Lin. Spec. plant. 775. 13.  
*Ranunculus nemorosus*, f. *sylvaticus*, folio subrotundo. Bauh. pin. 178.
- 2485 *Ranunculus, Flammula*, foliis ovato-lanceolatis petiolatis, caule declinato. Lin. Spec. plant. 773. 1. α.  
*Ranunculus longifolius palustris minor*. Bauh. pin. 180.
- 2486 *Rheum, palmatum*, foliis palmatis acuminatis. Lin. Spec. plant. 531. 3.  
*Rhabarbar*. Brun. orient. 192. tab. 73.
- 2487 *Rubus, arcticus*, foliis ternatis, cane inermi unifloro. Lin. Spec. plant. 708. 11.  
*Rubus caule unifloro*, foliis ternatis. Lin. Fl. Lap. 207. tab. 5. fig. 2.
- 2488 *Ruscus, Androgynus*, foliis margine floriferis. Lin. Spec. plant. 1474.  
*Ruscus latifolius* è foliorum sinu florifer & baccifer. Dil. Hort. Elth. 330. tab. 250. fig. 332.
- 2489 *Salvia, nemorosa*, foliis cordato-lanceolatis serratis planis, bracteis coloratis, corollæ labio infimo reflexo. Lin. Spec. plant. 35. 10.  
*Horminum sylvestre*, *salvifolium minus*. Bauh. pin. 239.
- 2490 *Scutellaria, albida*, foliis subcordatis serratis rugosis opacis, spicis secundis bracteis ovatis. Lin. Mantissa. 248.  
*Scutellaria Teucrii* facie flore albo. Bauh. hist. III. 291.

- 2491 *Serratula, spicata*, foliis linearibus basi ciliatis, floribus spicatis sessilibus lateralibus, caule simplici. Lin. Spec. plant. 1147. 11.  
*Jacca angustifolia*, tuberosa radice Virginiana. Pluk. alm. tab. 424. fig. 6.
- 2492 *Sibthorpia, peregrina*, foliis reniformibus crenatis, pedunculis geminis. Lin. Spec. plant. 880. 3.  
*Planta anonyma*. Pluk. phyt. tab. 257. fig. 5.
- 2493 *Staphylea, pinnata*, foliis pinnatis. Lin. Spec. plant. 386. 1.  
*Pistacia sylvestris*. Bauh. pin. 401.
- 2494 *Taxus, baccata*, foliis approximatis. Lin. Spec. plant. 1472. 1.  
*Taxus*. Bauh. pin. 505.
- 2495 *Teucrium, hircanicum*, foliis cordato-oblongis obtusis, caule brachiato dichotomo, spicis longissimis terminalibus sessilibus spirali-bus. Lin. Spec. plant. 789. 16.  
*Teucrium foliis cordatis crenatis petiolatis, spicis oblongis densissimis*. Arduin. Spec. 13. tab. 4.
- 2496 *Teucrium, Scordium*, foliis oblongis sessilibus dentato-ferratis, floribus geminis lateralibus pedunculatis, caule diffuso. Lin. Spec. plant. 790. 20.  
*Scordium*. Bauh. pin. 247.
- 2497 *Thymus, Acinos*, verticillis sexfloris, caulibus erectis subramosis, foliis acutis ferratis. Lin. Spec. plant. 826. 4.  
*Clinopodium arvense*, ocyimi facie. Bauh. pin. 225.

- 2498 *Thymus*, *Serpyllum*, floribus capitatis, caulibus  
decumbentibus, foliis planis obtusis, basi ciliatis. Lin. Spec. plant. 825. 1. ß.  
*Serpyllum* foliis citri odore. Bauh. pin. 220.
- 2499 *Thymus*, *vulgaris*, erectus, foliis revolutis  
ovatis, floribus verticillato-spicatis. Lin.  
Spec. plant. 825. 2. α.  
*Thymus vulgaris* folio tenuiore. Bauh. pin.  
219.
- 2500 *Viola*, *odorata*, acaulis, foliis cordatis, stolonibus  
reptantibus. Lin. Spec. pl. 1324. 8.  
*Viola martia* purpurea, flore simplici odore.  
Bauh. pin. 199.